

PUSH IN SENSORS




NGD V: resistance type, with elbow

Description:

Resistance temperature sensor with bayonet locks and steel braiding cable, - with elbow design.

Temperature: -200...+600°C,
-50...+400°C



Ordering Code:

N	G	B	V																							
---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MEASURING ELEMENT:

Resistance type: Pt100
Other

1
9

Class of accuracy: A
B
Other

A
B
9

Construction: Single
Double
Triple

1
2
3

Connection: 2 wire
3 wire
4 wire

2
3
4

Measuring range: -200...+600° C
-50...+400° C

1
2

THERMOWELL, CONNECTION:

Material of thermowell: 1.4301
1.4541
1.4571
Other

1
2
3
9

Diameter of thermowell [mm]: 4
5
6
Other

4
5
6
9

Length of thermowell: L [mm]:

WIRE:

Wire exterior material

PVC	Silicon	Teflon	Fibergl.	Other
105°C	180°C	250°C	400°C	
1	2	3	4	9

1
2
3
4
9

Shield of wire

Non Ext. Int.
0 1 2

0
1
2

Length of wire H [mm]:

Naturally, we can differ from the above construction.

Please, fill in the ordering code and send your enquiry (order) to us.

fax: 00-36-1-282-6135 , e-mail: ugyfelsz@rhodium.hu , We will discuss the details.

If you have question, please call: 00-36-1-282-5689 and 00-36-1-282-8308, Our customer service is available.